



Dis/Immersion in Mindfulness Meditation with a Wandering Voice Assistant

Bonhee Ku
Korea Advanced Institute of Science
and Technology (KAIST)
bhku@kaist.ac.kr

Tatsuya Itagaki
Tokyo Institute of Technology
itagaki.t.ad@m.titech.ac.jp

Katie Seaborn
Tokyo Institute of Technology
seaborn.k.aa@m.titech.ac.jp

ABSTRACT

Mindfulness meditation is a validated means of helping people manage stress. Voice-based virtual assistants (VAs) in smart speakers, smartphones, and smart environments can assist people in carrying out mindfulness meditation through guided experiences. However, the common fixed location embodiment of VAs makes it difficult to provide intuitive support. In this work, we explored the novel embodiment of a "wandering voice" that is co-located with the user and "moves" with the task. We developed a multi-speaker VA embedded in a yoga mat that changes location along the body according to the meditation experience. We conducted a qualitative user study in two sessions, comparing a typical fixed smart speaker to the wandering VA embodiment. Thick descriptions from interviews with twelve people revealed sometimes simultaneous experiences of immersion and dis-immersion. We offer design implications for "wandering voices" and a new paradigm for VA embodiment that may extend to guidance tasks in other contexts.

CCS CONCEPTS

• **Human-centered computing** → Human computer interaction (HCI); Interaction devices; Sound-based input / output; Human computer interaction (HCI); HCI design and evaluation methods; User studies.

KEYWORDS

User Experience, Voice Assistant, Mindfulness Meditation, Voice Embodiment, Wandering Voice, Voice Interaction

ACM Reference Format:

Bonhee Ku, Tatsuya Itagaki, and Katie Seaborn. 2023. Dis/Immersion in Mindfulness Meditation with a Wandering Voice Assistant. In *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems (CHI EA '23)*, April 23–28, 2023, Hamburg, Germany. ACM, New York, NY, USA, 6 pages. <https://doi.org/10.1145/3544549.3585627>

1 INTRODUCTION

Mindfulness meditation has shown various benefits for health and well-being [23]. While research on technology-mediated meditation has a long history [2, 13, 17, 28], the situational factor of the global pandemic, where people are spending more time at home, has led to a rise in general and academic interest on new ways

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI EA '23, April 23–28, 2023, Hamburg, Germany

© 2023 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-9422-2/23/04.

<https://doi.org/10.1145/3544549.3585627>

of providing or facilitating meditation in the home, especially in human-computer interaction (HCI) [1]. Voice-based virtual assistants (VAs), in particular, can provide hands-free guidance, which is suitable for mindfulness meditation [8, 27]. While work on user experiences (UX) with VAs has covered factors as diverse as personality [22], gender [14, 19, 30], contexts of use [5, 21], and speech interaction [4, 31], few have focused on the "body" of the voice and how it might relate to the body of the user [27]. In theory, VAs are not only auditory; tactility can be stimulated with vibrations at the location of the voice. As such, VAs could offer a combination of auditory and tactile experiences conducive to guiding embodied practices such as mindfulness meditation, which are intimately connected to the user's body. For this, the voice would have to be co-located with the user's body and also "wander" or move synchronously with the user to cue meditation actions associated with certain body parts at certain times. To the best of our knowledge, no work has explored the concept of a VA with a "wandering voice."

To understand this new embodiment experience, we developed a novel "wandering VA" platform comprised of a multi-speaker smart speaker system embedded in a yoga mat. We conducted a qualitative comparative within-subjects user study using the Wizard of Oz prototyping method [11] where participants experienced two meditation sessions with two mindfulness meditation VA guides: a typical fixed location smart speaker form factor and the wandering VA. We asked the following research questions:

RQ1. How do people perceive and interact with a wandering VA?

RQ2. What effect does the form factor of the wandering VA have on UX compared to VAs with a fixed location?

We found that people had immersive and dis-immersive experiences, sometimes simultaneously, that were linked to other embodiment factors of the VA and the UX. We contribute our novel VA paradigm and implications for design.

2 RELATED WORK

Staying focused in the moment and not becoming distracted is an essential but difficult skill that technology could support [5, 12]. Researchers have explored various technologies and their resulting embodiments to lower the difficulty of learning and engaging in mindfulness meditation as well as increase the effectiveness of meditation for users.

Previous studies of human-computer interaction (HCI) have explored the efficacy of technology in mindfulness practice [9]. Cochrane et al. [10] developed an interactive natural soundscape that reacted to the user's EEG¹ data. Users who experienced it felt more comfortable with subsequent mindfulness meditation

¹Electroencephalography

exercises. This inspired us to envision a new form of technology-mediated meditation based around bodily, location-based interactions, i.e., somatic embodied interactions. On this front, Loke and Schiphorst [20] found that facilitating somatics can provide individuals with tools and techniques to gain mastery over their own mental, emotional, and physical well-being. Therefore, we designed the speakers making up the “body” of the wandering VA to be placed close, even intimately near, to the user’s body to see how it would affect the guided meditation experience. In addition, Daudén Roquet and Sas [12] and Ståhl et al. [29] explored how the location of warmth affected breathing and attention control. They found that temperature feedback aided breathing control; this inspired us to imagine how other senses, hearing and tactility, affected meditation.

In addition, there have been studies on various embodiments to find out how it affects meditation. Jiang et al. [16] created an interactive embodiment that visualizes the shaking tree in an AR headset according to the participant’s breathing which is biological feedback. At the same time, they meditated while listening to the 5-minute meditation guide. As a result, the heart rate decreased during meditation time. Kim et al. [18] produced a VR meditation game using spatial sound. A four-step system was created, survey, game session, meditation, and reward session. Participants felt a sense of relaxation as much as they enjoyed the spatial sound and artwork after completing the mission. Roo et al. [24] created an augmented sandbox to inspire people’s meditation motivation and curiosity. Participants created a garden space using sand on a desk; they then wore a VR headset and travelled to the garden while meditating. This system helped meditators to achieve an ideal level of motivation and meditation effect.

In sum, people have explored using virtual reality (VR), mixed reality (MR), and temperature to help people meditate. Yet, less explored is the lived, moment-to-moment experience of practicing meditation and how to understand the impact of technology on that experience [9]. Notably, none have explored the notion of a “moving” VA, i.e., a wandering VA embodiment. Also, there has been no exploration of how a “moving” voice affects the meditation process. To explore this, we created a wandering VA that provides guided meditation through the auditory and potentially tactile medium of voice, co-located with the user’s body.

3 SYSTEM DESIGN

3.1 VAs: Typical and Wandering VAs

A single Bluetooth speaker² representing a typical fixed location smart speaker was used in Session 1. This speaker was fixed at a position 15 cm from the head of the participant. In Session 2, 12 speakers were embedded in a yoga mat (Figure 1). The size of the yoga mat³ was 181*60 cm, large enough for an average man to lie on. 14 Styrofoam pieces sized 60*90 cm were placed under the mat to make a 180*60*7 cm size platform. The Styrofoam pieces were cut to 6 x 6.4 x 7.2 cm in size. Holes were carved out for the 12 speakers⁴, each located where the parts of the body would rest

on the yoga mat: eyes/face, shoulders, neck, arms, right/left arm, chest/torso, hands, feet, and right/left leg (Figure 2).

We used Wizard of Oz (WoZ) to simulate the experience. WoZ is a quick prototyping method for interfaces under development, where a confederate operates the technology in secret [11]. A speaker switcher⁵ was used to control which speaker provided prerecorded utterances at a given moment. The VA voices were developed using the Google Cloud text-to-speech (TTS) API. We used a young adult feminine voice, the default setting. Since the voice files created with the Google Cloud TTS API speak at a constant rate without breathing intervals between sentences, we later used Adobe AfterEffects⁶ to add breathing time between sentences.

3.2 Task: Guided Mindfulness Meditation Courses

We selected mindfulness meditation courses from the Calm⁷ YouTube channel⁸ (738,000 subscribers). The Calm app has the highest number of downloads and reviews in the Apple and Google app stores [7]. Among the voice-guided meditation courses on offer, we chose the ‘body scan’ course, which focuses on location-based interactions [33]. The videos with at least 20 mentions of body parts were ‘Daily Calm | 10 Minute Mindfulness Meditation | Be Present’⁹ and ‘30 Minute Body Scan’¹⁰. We used the TTSs to prerecord the script in clips for the WoZ simulation. Since Calm’s script is in English, Researcher 1 (Korean) translated it into Korean, and Researcher 2 (Japanese) translated it into Japanese. Therefore, participants were able to listen to the instruction in their own language.

4 METHODS

We conducted a qualitative comparative user study using interviews to capture phenomenological accounts. Participants responded to a pre-study questionnaire, where they were informed of the study goals and gave informed consent. In the study, participants laid down on the yoga mat and meditated during Sessions 1 and 2. To prevent the order of sessions from affecting the experience, seven participants experienced Session 1 first, and seven experienced Session 2 first. After a total of 20 minutes of meditation with the prototype, the participants answered the interview questions for 20 minutes mainly expressing their perceptions and feelings about the experience. This study was approved by the university IRB.

4.1 Participants

The study included six Japanese men and one Korean man, and seven Korean women (mean age 24). There were three undergraduate students, six graduate students, three Ph.D. students, a researcher in a technology graduate school, and one student from a business school. For meditation experience, P7 meditated at least

²Anker SoundCore Mini Compact Bluetooth Speaker

³Amazon Basic Yoga Mat inches (188 x 61 x 1 cm)

⁴BUFFALO BSSP105UBK PC Speaker

⁵LiNKFOR 4 Port Audio Switcher

⁶VFX and motion graphics software, Adobe After Effects (<https://www.adobe.com/products/aftereffects.html>)

⁷Calm - Calm on the App Store. Retrieved September 14, 2022 from <https://apps.apple.com/us/app/calm/id571800810>

⁸Calm YouTube Channel - Retrieved September 14, 2022 from <https://www.youtube.com/c/calm>

⁹Daily Calm | 10 Minute Mindfulness Meditation | Be Present - Retrieved September 14, 2022 from [https://www.youtube.com/watch?v=\\$ZToicYcHI0U&t\\$=\\$257s](https://www.youtube.com/watch?v=$ZToicYcHI0U&t$=$257s)

¹⁰30 Minute Body Scan - Retrieved September 14, 2022 from [https://www.youtube.com/watch?v=\\$STPwHmaaaxLc&t\\$=\\$524s](https://www.youtube.com/watch?v=$STPwHmaaaxLc&t$=$524s)




Figure 1: Two examples of body parts verbalized by the VA, which match the position of the speakers placed in the yoga mat.




Figure 2: Locations of the twelve speakers under the yoga mat (left). Participant laying down on the yoga mat (right).

once a day, P6, P8-P11, P14 meditated irregularly; P2 and P5 meditated once; and P1, P3, P4, P12, P13 never meditated before.

4.2 Data Collection and Instruments

4.2.1 Pre-Study Questionnaire. We used a Google Form to collect informed consent and demographic information. Participants were asked about their age, gender, and meditation experience.

4.2.2 Interview Protocol. We audio-recorded semi-structured interviews. Six Japanese participants were interviewed by Researcher 2 in Japanese. Eight Korean participants were interviewed by Researcher 1 in Korean. The starting questions were: *How did you feel about each session? What were the positive and negative points for you? What do you think was the reason for your feelings?*

4.3 Data Analysis

Interviews were transcribed. Researcher 2 translated Japanese scripts into English and Researcher 1 translated Korean scripts into English. Then, both researchers analyzed the data in English. Pre-study questionnaire responses on prior meditation experience and interview reports were analyzed using an applied thematic analysis approach [15]. For this, Researcher 1 looked for patterns related to general experiences with the wandering VA (RQ1), differences between the typical and wandering VA embodiments (RQ2).

Codes were discussed with Researcher 3. Then, Researcher 1 and 2 independently coded a random 20% of the data. Disagreements were resolved through discussion; in the end, all codes were accepted. Researcher 1 then gathered the codes into themes that related to the RQs. Both agreed on these themes.

5 FINDINGS

Participants' phenomenological accounts generated several themes relevant to immersion and dis-immersion with the wandering VA, as well as other properties of the experience. Five VA embodiment factors that affected the meditation experience were found: voice coming from body parts, distance between ears and VA, agent characteristics, and low familiarity. Two of these created both immersion and dis-immersion for various participants. We present an overview of the themes in Table 1. Next, we describe in detail how the VA embodiment factors and themes related to experiences of dis/immersion—sometimes simultaneously—across experiences and participants.

5.1 Easy Guidance (*Immersion*)

Meditation instructions such as 'pay attention' and 'accept the sensations' were difficult for non-experts (P12 and P14) to follow [25]. However, by Session 2, they had learned how to understand the

Table 1: Themes on how the wandering VA factors each affected dis/immersion during guided meditation.

VA Embodiment Factors	User Experience	Theme	Example(s)	Participant(s)
Voice coming from body parts	Immersion	Easy guidance	“It allowed me to focus more on the areas I wanted to concentrate on.” (P3)	P2, P3, P4, P6, P7, P8, P10, P12, P13
		Intimacy	“It felt like a 1:1 class that kindly informs where I should focus on.” (P12)	P12, P14
		Motivation	“I felt like the agent is watching me doing right or wrong, so I couldn’t skip the routine.”	P14
Distance between ears and VA	Dis-immersion	Concentration Interfered	“My concentration was broken because the location where I was told to focus kept changing.” (P4)	P4, P5, P6, P7, P8, P9, P10, P12
		Unpleasant Impressions	“When I heard a noise from above my head, it gave me an image that someone was talking from above, and I did not like it.”	P5, P6, P13
		Easy guidance	“It was good to understand the location because the degree of voice was different.”	P9
Agent characteristics	Immersion	Intimacy	“The voice was coming from afar I couldn’t understand the content.” (P11)	P2, P6, P8, P11, P12, P14
			“I couldn’t hear the voice well on the torso side, but I heard it well on the arm side. Like this, when the gap between the quality of voices was severe, I lost my concentration.” (P13)	P2, P9, P10, P13
Low familiarity	Dis-immersion	Concentration Interfered	“I would have thought it would infringe on the boundaries if a person taught me that close, but since it was a voice assistant, it was okay.”	P14
			“I was not used to the moving voice system, so it was difficult to concentrate at first.” (P7)	P7, P11

abstract instructions. The moving voice not only provided information about location, but also served to lower barriers to learning and increased understanding.

5.2 Intimacy (*Immersion*)

Factors that affected intimacy between the user and the wandering VA were ‘voice coming from body parts’ and ‘agent-characteristics.’ As P12 noted, the difference between the fixed VA and the wandering VA was the ‘[body] relationship.’ She perceived the stationary VA as simply ‘directing’ her while the wandering VA was more of a friendly teacher giving a 1:1 lesson. Also, P14 noted that “since it is an agent, I did not mind it explaining ‘up close’ [on my body].” The content of the meditation was the same for the VAs. Even so, the relative physical distance between the VA and the user mediated the psychological distance. The physical proximity of the wandering VA indicated a sense of ‘socially acceptable’ form of intimacy. This suggests that agents may be able to provide private experiences that are difficult for humans to do.

5.3 Motivation (*Immersion*)

For P14, in Session 1 when the voice was fixed, she did not feel necessary to follow the instruction diligently. For instance, she found her mind wandering and focused elsewhere when told by the VA to focus on a specific body part. However, in Session 2, she said, “I felt like the [wandering VA] is watching me doing right or wrong,

so I couldn’t skip the routine.” Through this, as in the previous work where real-time audio, visual, or audiovisual feedback provided motivation to keep users focused [32], a wandering VA aligned with other factors that serve to motivate concentration.

5.4 Concentration Interference (*Dis-immersion*)

Many participants (P2, P9, P10, and P13) said they were disturbed when the voice frequently moved and when the voice was too far from their ears. Their concentration was broken when the difference in loudness caused by distance or the user’s body, e.g., ‘when the location of the voice suddenly changed to the head when it was at the feet’, ‘when the voice was faint because it was covered by my chest, and then it was loud when at my shoulder.’

“Since I can hear the voice and feel the vibration at once, it is convenient for focusing on that body part.” (P1)

Even so, participants (P1, P13, and P14) appreciated the tactility of the co-located voice, i.e., the vibrations that allowed them to ‘feel’ the voice and sense its ‘movements’ and position against their body. Still, we found that the difference in voice loudness caused by changing locations should be minimized.

5.5 Unpleasant Impressions (*Dis-immersion*)

P5, P6, and P13 said that when the voice came from certain body parts, it was unpleasant (immersion), while for the rest, it was pleasant (immersion). P5 said ‘I hated the experience of hearing a voice from my chest . . . it felt like I was being manipulated.’ This suggests that people may have (non)preferences for ‘moving’ VAs at certain locations on the body.

6 DESIGN IMPLICATIONS

We offer these initial design implications for wandering VAs created to help users immerse themselves in guided mindfulness meditation experiences. We highlight the factors that help immersion and reduce disturbing experiences.

6.1 Provide a Consistent Embodied Sonic Experience

The movement of the wandering VA, which created a strong contrast in loudness, hindered concentration. Therefore, as attention control is a key aspect of meditation [5, 12, 28], designers should test and design the course as to whether the moving section of wandering VA is not far and whether the loudness heard by the participants is consistent. Another option is to make use of the tacitility of the ‘felt’ voice, which we suggest below for future work.

6.2 Provide Options for ‘Deselecting’ Body Parts

Several participants (P5, P6, P13) disliked hearing a voice at certain body parts or movement from a certain body part to another one located a distance away. For instance, P6 mentioned horizontal movement made him think of it as a frequent movement that breaks his concentration.

“When the position of the voice changed from the right shoulder to the left shoulder, I strongly felt the restlessness of the change in location of the voice.” (P6)

Still, most (P2-P4, P7, P8, P10, P12) said that the voice coming from each body part allowed them to easily focus on it and complete the meditation task. We should give users the option to ‘turn off’ guidance from certain body parts or directions. Whether this should be done in advance or in the moment, and how, is a design question for future work.

6.3 Greater Distance Between Voice and Body

Vibration is an element that naturally occurs from a co-located speaker embedded in a medium shared with the user, in this case the yoga mat. In this study, participants (P4, P5, P7) said they were startled by the vibrations that resonated right under their bodies, which disturbed their concentration. Therefore, we recommend offering an option to move the location of the speaker close to but not directly under the targeted body part. Thus, the designer can provide not only information to the user through voice location, but also reduce disturbances caused by vibration.

7 OPEN QUESTIONS AND PROVOCATIONS FOR FUTURE WORK

We propose several open questions for exploring the design of wandering VA embodiments. Future work can explore these ideas in the context of mindfulness meditation or another guided, embodied activity, in or outside of mental health care within smart environments, to expand the potential usage of wandering VAs.

7.1 Multi-Sensory Stimulation: From Voice to Vibration and Beyond

Several embodiments created both immersive and dis-immersive experiences, sometimes at the same time. For this, we suggest devising solutions to reduce negative experiences and maximize positive experiences. One option is to make use of multiple sensory channels, such as hearing and touch with vibrations or temperature, i.e., warmth [29]. An open question: When multiple senses are involved, what combinations help the user, and why? Also, if we can use multiple senses to meet users’ needs, we suggest finding out if multi-sensory approaches to wandering VA embodiments can lower the barrier to using technology for people who may have one or more senses that are less sensitive, as well.

7.2 Familiarity and Embodiment Likeability

Some participants (P1, P4, P5 and P6) liked the fixed speaker because they were used to it. Our question is: How much should familiarity be considered when developing a new embodiment? Since we tend to like things we become familiar with [3], a novel embodiment like a wandering VA may need time and ‘mere exposure’ to become more enjoyable.

7.3 Diversification of VA Embodiment

A single voice coming out of a single ‘body’, in this case a speaker, is like a human, as we all have one voice and one body each. However, we have showcased a VA embodiment that is completely different from humans. We can expand on this; for example, one voice with multiple bodies, flying, floating, and disappearing, or perhaps multiple voices in one embodiment. We must then explore how such VA embodiments ultimately benefit (or do not benefit) users.

8 LIMITATIONS AND FUTURE WORK

Several participants (P1, P7, P9) reported that it was difficult to answer the interview questions based only on one experience. For phenomenological reporting, a diary study should be conducted to better understand users’ long-term experiences with the wandering VA, ideally in naturalistic settings, like the home. Future work should also include people with more diverse experiences of meditation. Also, while we believe that we achieved saturation in our qualitative analysis [6, 26], we recognize that we had a small sample size and a limited range of age groups. Larger and more diverse studies that incorporate both quantitative and qualitative measures can confirm and enhance these results.

9 CONCLUSION

We are familiar with fixed VA embodiments: a voice in the smartphone in our hand or a smart speaker on a desk or living room table.

But we can go beyond the typical form factors and contexts of use. In our exploration of a wandering voice embedded in a yoga mat, we found that users can perceive and take delight in a wandering VA while meditating. Some details of the wandering VA embodiment helped with immersion while others hindered immersion or were “dis-immersive,” and some were both. We proposed several design implications and open-ended questions for future research on improving and expanding the purview of wandering VAs. We hope our initial work will spur exploration on whether and how VAs should move in sync with us.

ACKNOWLEDGMENTS

This research was funded by a Japan Society for the Promotion of Science (JSPS) Grants-in-Aid for Early Career Scientists (KAKENHI WAKATE) grant (no. 21K18005), AOTULE (Asia-Oceania Top University League on Engineering), and a JASSO (Japan Student Services Organization) grant (no. UTA2210400901004). We also thank the members of the Aspire Lab for their support.

REFERENCES

- [1] A Review & Analysis of Mindfulness Research in HCI | Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems: <https://dl.acm.org/doi/10.1145/3290605.3300687>. Accessed: 2023-01-12.
- [2] Baer, R.A. 2003. Mindfulness Training as a Clinical Intervention: A Conceptual and Empirical Review. *Clinical Psychology: Science and Practice*. 10, 2 (2003), 125–143. DOI:<https://doi.org/10.1093/clipsy.bpg015>.
- [3] Bornstein, R.F. 19900101. Exposure and affect: Overview and meta-analysis of research, 1968–1987. *Psychological Bulletin*. 106, 2 (19900101), 265. DOI:<https://doi.org/10.1037/0033-2909.106.2.265>.
- [4] Bortoli, M., Furini, M., Mirri, S., Montangero, M. and Prandi, C. 2020. Conversational interfaces for a smart campus: A case study. *Proceedings of the International Conference on Advanced Visual Interfaces* (New York, NY, USA, 2020).
- [5] Braun, M., Mainz, A., Chadowitz, R., Pflöging, B. and Alt, F. 2019. At your service: Designing voice assistant personalities to improve automotive user interfaces. *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2019), 40:1-40:11.
- [6] Braun, V. and Clarke, V. 2021. To saturate or not to saturate? Questioning data saturation as a useful concept for thematic analysis and sample-size rationales. *Qualitative Research in Sport, Exercise and Health*. 13, 2 (Mar. 2021), 201–216. DOI:<https://doi.org/10.1080/2159676X.2019.1704846>.
- [7] Carter, S.M. and Berger, S. 2022. Best Meditation Apps Of 2022. *Forbes Health*.
- [8] Clark, L., Doyle, P., Garaialde, D., Gilmartin, E., Schlögl, S., Edlund, J., Aylett, M., Cabral, J., Munteanu, C., Edwards, J. and R Cowan, B. 2019. The state of speech in HCI: Trends, themes and challenges. *Interacting with Computers*. 31, 4 (Jun. 2019), 349–371. DOI:<https://doi.org/10.1093/iwc/iwz016>.
- [9] Cochrane, K., Loke, L., Leete, M., Campbell, A. and Ahmadpour, N. 2021. Understanding the first person experience of walking mindfulness meditation facilitated by EEG modulated interactive soundscape. *Proceedings of the Fifteenth International Conference on Tangible, Embedded, and Embodied Interaction* (New York, NY, USA, 2021), 1–17.
- [10] Cochrane, K.A., Loke, L., de Bérigny, C. and Campbell, A. 2018. Sounds in the moment: designing an interactive EEG nature soundscape for novice mindfulness meditators. *Proceedings of the 30th Australian Conference on Computer-Human Interaction* (New York, NY, USA, Winter 2018), 298–302.
- [11] Dahlbäck, N., Jönsson, A. and Ahrenberg, L. 1993. Wizard of Oz studies – why and how. *Knowledge-Based Systems*. 6, 4 (Dec. 1993), 258–266. DOI:[https://doi.org/10.1016/0950-7051\(93\)90017-N](https://doi.org/10.1016/0950-7051(93)90017-N).
- [12] Daudén Roquet, C. and Sas, C. 2021. Interoceptive interaction: An embodied metaphor inspired approach to designing for meditation. *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, May 2021), 1–17.
- [13] Derthick, K. 2014. Understanding meditation and technology use. *CHI '14 Extended Abstracts on Human Factors in Computing Systems* (New York, NY, USA, 26 2014), 2275–2280.
- [14] Goodman, K.L. and Mayhorn, C.B. 2023. It’s not what you say but how you say it: Examining the influence of perceived voice assistant gender and pitch on trust and reliance. *Applied Ergonomics*. 106, (Jan. 2023), 103864. DOI:<https://doi.org/10.1016/j.apergo.2022.103864>.
- [15] Guest, G., MacQueen, K.M. and Namey, E.E. 2011. *Applied Thematic Analysis*. SAGE Publications.
- [16] Jiang, Y., Wang, W., Scargill, T., Rothman, M., Dunn, J. and Gorlatova, M. 2022. Digital biomarkers reflect stress reduction after augmented reality guided meditation: a feasibility study. *Proceedings of the 2022 Workshop on Emerging Devices for Digital Biomarkers* (New York, NY, USA, Spring 2022), 29–34.
- [17] Kabat-Zinn, J., Massion, A.O., Kristeller, J., Peterson, L.G., Fletcher, K.E., Pbert, L., Lenderking, W.R. and Santorelli, S.F. 1992. Effectiveness of a meditation-based stress reduction program in the treatment of anxiety disorders. *The American Journal of Psychiatry*. 149, 7 (Jul. 1992), 936–943. DOI:<https://doi.org/10.1176/ajp.149.7.936>.
- [18] Kim, H., Choi, J., Doh, Y.Y. and Nam, J. 2022. The melody of the mysterious stones: A VR mindfulness game using sound spatialization. *Extended Abstracts of the 2022 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2022), 1–6.
- [19] Lee, E.J., Nass, C. and Brave, S. 2000. Can computer-generated speech have gender?: An experimental test of gender stereotype. *Proceedings of the CHI'00 Extended Abstracts on Human factors in Computing Systems* (The Hague, The Netherlands, 2000), 289–290.
- [20] Loke, L. and Schiphorst, T. 2018. The somatic turn in human-computer interaction. *Interactions*. 25, 5 (22 2018), 54–5863. DOI:<https://doi.org/10.1145/3236675>.
- [21] Martelaro, N., Teevan, J. and Iqbal, S.T. 2019. An exploration of speech-based productivity support in the car. *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2019), 1–12.
- [22] Poushneh, A. 2021. Humanizing voice assistant: The impact of voice assistant personality on consumers’ attitudes and behaviors. *Journal of Retailing and Consumer Services*. 58, (Jan. 2021), 102283. DOI:<https://doi.org/10.1016/j.jretconser.2020.102283>.
- [23] Reinhardt, D., Baur, C., Klüber, S. and Hurtienne, J. 2020. MindPeaks: Formative Evaluation Method of Mindfulness Meditation Apps. *Companion Publication of the 2020 ACM Designing Interactive Systems Conference* (Eindhoven Netherlands, Jul. 2020), 37–42.
- [24] Roo, J.S., Gervais, R., Frey, J. and Hachet, M. 2017. Inner garden: Connecting inner states to a mixed reality sandbox for mindfulness. *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2017), 1459–1470.
- [25] Salehzadeh Niksirat, K., Silpasuwanchai, C., Mohamed Hussien Ahmed, M., Cheng, P. and Ren, X. 2017. A framework for interactive mindfulness meditation using attention-regulation process. *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2017), 2672–2684.
- [26] Saunders, B., Sim, J., Kingstone, T., Baker, S., Waterfield, J., Bartlam, B., Burroughs, H. and Jinks, C. 2018. Saturation in qualitative research: Exploring its conceptualization and operationalization. *Quality & Quantity*. 52, 4 (2018), 1893–1907. DOI:<https://doi.org/10.1007/s11135-017-0574-8>.
- [27] Seaborn, K., Miyake, N.P., Pennefather, P. and Otake-Matsuura, M. 2022. Voice in human-agent interaction: A survey. *ACM Computing Surveys*. 54, 4 (May 2022), 1–43. DOI:<https://doi.org/10.1145/3386867>.
- [28] Tang, Y.-Y., Hölzel, B.K. and Posner, M.I. 2015. The neuroscience of mindfulness meditation. *Nature Reviews Neuroscience*. 16, 4 (Apr. 2015), 213–225. DOI:<https://doi.org/10.1038/nrn3916>.
- [29] The Soma Mat and Breathing Light | Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems: <https://dl.acm.org/doi/10.1145/2851581.2889464>. Accessed: 2023-01-12.
- [30] Tolmeijer, S., Zierau, N., Janson, A., Wahdatehagh, J.S., Leimeister, J.M.M. and Bernstein, A. 2021. Female by default? – Exploring the effect of voice assistant gender and pitch on trait and trust attribution. *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2021), 1–7.
- [31] Yarosh, S., Thompson, S., Watson, K., Chase, A., Senthilkumar, A., Yuan, Y. and Brush, A.J.B. 2018. Children asking questions: Speech interface reformulations and personification preferences. *Proceedings of the 17th ACM Conference on Interaction Design and Children* (New York, NY, USA, Jun. 2018), 300–312.
- [32] ZenVR: Design Evaluation of a Virtual Reality Learning System for Meditation | Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems: <https://dl.acm.org/doi/abs/10.1145/3491102.3502035>. Accessed: 2023-01-16.
- [33] Zhu, B., Hedman, A. and Li, H. 2017. Designing digital mindfulness: Presence-in and presence-with versus presence-through. *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (New York, NY, USA, 2017), 2685–2695.